

Luoyang Jiecheng Bearing Technology Co., Ltd

Tel:0086-379-68611678 Fax:0086-379-68611679 Email: sales@jcb-bearing.com

Product list of angular contact bearing

Bearing Number	Basic size			Limit Speed		Rating load		Weight
	d	D	B	Grease	Oil	Dynamic	Static	
7008AC	40	68	15	15000	21000	16.00	12.90	0.21
7009C	45	75	16	14000	19000	19.87	16.36	0.24
7009AC	45	75	16	14000	19000	19.87	16.36	0.24
7010C	50	80	16	13000	17000	21.00	19.00	0.26
7010AC	50	80	16	13000	17000	21.00	19.00	0.26
7011C	55	90	18	12000	15000	26.10	22.60	0.36
7011AC	55	90	18	12000	15000	26.10	22.60	0.36
7012C	60	95	18	11000	14000	32.50	27.00	0.45
7012AC	60	95	18	11000	14000	32.50	27.00	0.45
7013C	65	100	18	9900	13000	35.20	30.00	0.5
7013AC	65	100	18	9900	13000	35.20	30.00	0.5
7014C	70	110	20	9200	12000	41.10	37.30	0.59
7014AC	70	110	20	9200	12000	41.10	37.30	0.59
7015C	75	115	20	8600	11000	42.50	40.70	0.69
7015AC	75	115	20	8600	11000	42.50	40.70	0.69
7016C	80	125	22	8000	11000	53.40	50.60	0.93
7016AC	80	125	22	8000	11000	53.40	50.60	0.93
7017C	85	130	22	7600	10000	54.60	53.70	0.97
7017AC	85	130	22	7600	10000	54.60	53.70	0.97
7018C	90	140	24	7100	9500	68.60	65.40	0.96
7018AC	90	140	24	7100	9500	68.60	65.40	0.96
7019C	95	145	24	6800	9000	73.50	73.00	1.17
7019AC	95	145	24	6800	9000	73.50	73.00	1.17
7020C	100	150	24	6400	8600	75.50	77.00	1.25
7020AC	100	150	24	6400	8600	75.50	77.00	1.25
7021C	105	160	26	6100	8100	88.00	89.50	1.53

7021AC	105	160	26	6100	8100	88.00	89.50	1.53
7022C	110	170	28	5800	7700	101.00	101.00	1.91
7022AC	110	170	28	5800	7700	101.00	101.00	1.91
7024C	120	180	28	5300	7100	103.00	108.00	2.04
7024AC	120	180	28	5300	7100	103.00	108.00	2.04
7026C	130	200	33	4900	6500	129.00	137.00	3.73
7026AC	130	200	33	4900	6500	129.00	137.00	3.73
7028C	140	210	33	4500	6000	132.00	145.00	3.96
7028AC	140	210	33	4500	6000	132.00	145.00	3.96
7030C	150	225	35	4200	5600	151.00	168.00	4.82
7030AC	150	225	35	4200	5600	151.00	168.00	4.82
7204C	20	47	14	25000	34000	15.00	8.60	0.1
7204AC	20	47	14	25000	34000	15.00	8.60	0.1
7204B	20	47	14	25000	34000	13.31	7.65	0.12
7205C	25	52	15	21000	28000	16.20	10.30	0.13
7205AC	25	52	15	21000	28000	16.20	10.30	0.13
7205B	25	52	15	21000	28000	14.03	8.63	0.14
7206C	30	62	16	18000	24000	16.94	12.14	0.2
7206AC	30	62	16	18000	24000	16.94	12.14	0.2
7206AC/P5	30	62	16	18000	24000	16.94	12.14	0.2
7206B	30	62	16	18000	24000	19.48	12.43	0.22
7207C	35	72	17	16000	21000	22.36	16.52	0.3
7207AC	35	72	17	16000	21000	22.36	16.52	0.3
7207AC/P5	35	72	17	16000	21000	22.36	16.52	0.3
7207B	35	72	17	16000	21000	25.70	16.91	0.32
7208C	40	80	18	14000	19000	27.08	20.87	0.37
7208AC	40	80	18	14000	19000	27.08	20.87	0.37
7208AC/P5	40	80	18	14000	19000	27.08	20.87	0.37
7208B	40	80	18	14000	19000	30.98	21.80	0.41
7209C	45	85	19	13000	17000	28.34	22.47	0.41
7209AC	45	85	19	13000	17000	28.34	22.47	0.41
7209AC/P5	45	85	19	13000	17000	28.34	22.47	0.41

7209B	45	85	19	13000	17000	32.28	23.78	0.46
7210C	50	90	20	12000	15000	32.91	26.83	0.45
7210AC	50	90	20	12000	15000	32.91	26.83	0.45
7210AC/P5	50	90	20	12000	15000	32.91	26.83	0.45
7210B	50	90	20	12000	15000	35.74	26.64	0.6
7211C	55	100	21	11000	14000	40.71	33.96	0.6
7211AC	55	100	21	11000	14000	40.71	33.96	0.6
7211B	55	100	21	11000	14000	41.19	33.72	0.69
7212C	60	110	22	9700	13000	46.90	40.53	0.81
7212AC	60	110	22	9700	13000	46.90	40.53	0.81
7212B	60	110	22	9700	13000	50.99	40.25	0.9
7213C	65	120	23	9000	12000	53.67	46.22	1.01
7213AC	65	120	23	9000	12000	53.67	46.22	1.01
7213B	65	120	23	9000	12000	61.06	49.17	1.13
7214C	70	125	24	8300	11000	56.04	49.52	1.08
7214AC	70	125	24	8300	11000	56.04	49.52	1.08
7214B	70	125	24	8300	11000	66.40	53.90	1.05
7215C	75	130	25	7800	10000	60.91	54.34	1.68
7215AC	75	130	25	7800	10000	60.91	54.34	1.68
7215B	75	130	25	7800	10000	68.61	58.30	1.36
7216C	80	140	26	7300	9700	68.81	63.35	1.48
7216AC	80	140	26	7300	9700	68.81	63.35	1.48
7216B	80	140	26	7300	9700	74.32	63.73	1.65
7217C	85	150	28	6900	9100	77.50	72.60	1.88
7217AC	85	150	28	6900	9100	77.50	72.60	1.88
7217B	85	150	28	6900	9100	86.36	75.29	2.05
7218C	90	160	30	6500	8600	89.91	82.60	2.26
7218AC	90	160	30	6500	8600	89.91	82.60	2.26
7218B	90	160	30	6500	8600	102.49	87.40	2.5
7219C	95	170	32	6100	8100	96.50	88.80	2.78
7219AC	95	170	32	6100	8100	96.50	88.80	2.78
7219B	95	170	32	6100	8100	117.69	101.93	3.1

7220C	100	180	34	5800	7700	111.20	96.80	3.32
7220AC	100	180	34	5800	7700	111.20	96.80	3.32
7220B	100	180	34	5800	7700	130.33	114.16	3.71
7221C	105	190	36	5500	7300	119.20	105.60	3.95
7221AC	105	190	36	5500	7300	119.20	105.60	3.95
7222C	110	200	38	5200	6900	129.60	118.40	4.65
7222AC	110	200	38	5200	6900	129.60	118.40	4.65
7224C	120	215	40	4800	6400	139.20	132.80	5.49
7224AC	120	215	40	4800	6400	139.20	132.80	5.49
7226C	130	230	40	4400	5800	156.80	156.80	6.21
7226AC	130	230	40	4400	5800	156.80	156.80	6.21
7228C	140	250	42	4000	5300	174.40	187.20	7.76
7228AC	140	250	42	4000	5300	174.40	187.20	7.76
7230C	150	270	45	3700	5000	248.00	280.00	9.75
7230AC	150	270	45	3700	5000	248.00	280.00	9.75
7230B	150	270	45	3700	5000	225.00	254.00	10.8
7232C	160	290	48	2400	2600	230.00	263.00	12.1
7232AC	160	290	48	2400	2600	230.00	263.00	12.1
7232B	160	290	48	2400	2600	238.00	279.00	13.6
7234C	170	310	52	2400	2400	272.00	331.00	15.1
7234AC	170	310	52	2400	2400	272.00	331.00	15.1
7234B	170	310	52	2400	2400	245.00	300.00	16.7
7236C	180	320	52	2200	2400	303.00	390.00	18.8
7236AC	180	320	52	2200	2400	303.00	390.00	18.8
7236B	180	320	52	2200	2400	265.00	329.00	17.6
7238C	190	340	55	2000	2200	303.00	390.00	18.8
7238AC	190	340	55	2000	2200	303.00	390.00	18.8
7238B	190	340	55	2000	2200	273.00	353.00	21.9
7240C	200	360	58	1800	2000	324.00	423.00	22.4
7240AC	200	360	58	1800	2000	324.00	423.00	22.4
7240B	200	360	58	1800	2000	292.00	384.00	25
7244C	220	400	65	1800	1800	350.00	460.00	33

7244AC	220	400	65	1800	1800	350.00	460.00	33
7244B	220	400	65	1800	1800	390.00	560.00	35.2
7303C	17	47	14	26000	35000	13.80	7.30	0.12
7303AC	17	47	14	26000	35000	13.80	7.30	0.12
7303B	17	47	14	26000	35000	13.79	7.20	0.12
7304C	20	52	15	23000	31000	16.20	8.70	0.15
7304AC	20	52	15	23000	31000	16.20	8.70	0.15
7304B	20	52	15	23000	31000	17.33	9.73	0.16
7305C	25	62	17	19000	26000	22.90	13.30	0.24
7305AC	25	62	17	19000	26000	22.90	13.30	0.24
7305B	25	62	17	19000	26000	24.33	14.18	0.26
7306C	30	72	19	16000	22000	25.20	18.50	0.35
7306C/P6	30	72	19	16000	22000	25.20	18.50	0.35